
AB-NK063-4 FGFR2-2 Antibody





Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein		
Name Long:	Fibroblast growth factor receptor-tyrosine kinase 2 (BEK)	
Alias:	BEK; BFR1; BFR-1; CD332; CEK3; CFD1; Crouzon syndrome; ECT1; K-SAM; TK25; KGFR; K-SAM; JWS; CD332; TK14; TK25; Q16888; Q7KZ14	
UniProt ID:	P21802	
Sequence Predicted Mass (KDa):	92.733 (830 AA; P21802-11); 92.153 (822 AA; P21802-16); 92.118 (822 AA; P21802-3); 92.025 (821 AA; P21802); 91.918 (820 AA; P21802-18); 91.825 (819 AA; P21802-5); 91.641 (819 AA; P21802-10); 91.620 (817 AA; P21802-7); 91.566 (819 AA; P21802-9); 88.181 (785 AA; P21802-6); 86.407 (771 AA; P21802-12); 86.223 (769 AA; P21802-17); 86.130 (768 AA; P21802-2); 86.110 (768 AA; P21802-13); 85.929 (766 AA; P21802-8); 79.833 (709 AA; P21802-23); 79.300 (707 AA; P21802-21); 79.212 (705 AA; P21802-15); 79.197 (704 AA; P21802-20); 76.705 (682 AA; P21802-4); 76.423 (680 AA; P21802-22); 40.614 (366 AA; P21802-19); 28.299 (254 AA; P21802-14)	
Observed SDS-PAGE Mass (KDa):	100-110	

Immunogen

Antibody Immunogen Source:	Human FGFR2 (BEK) sequence peptide Cat. No.: PE-01AUF60
Antibody Immunogen Sequence:	CGDVEFVCKVYSDAQ
Location in Target:	Corresponds to amino acid residues G272 to Q285
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 μg
Antibody Concentration:	1 mg/ml
Lot Number:	140724
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-NK063-4 FGFR2-2 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

A 1	
Λ nn	lications
-AUU	แบสแบบร

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity with recombinant human FGFR2 on protein dot blots.
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	No immunoreactivity on protein dot blots with recombinant human FGFR1, but medium immunoreactivity with FGFR4.

This product is for in vitro research use only and is not intended for use in humans or animals.