AB-NK100-5 MEK2-1 Antibody

Pan-specific polyclonal antibody for monitoring the expression of human dual specificity protein kinase MEK2 (MKK2, MAP2K2)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long: MAPK/ERK protein-serine kinase 2 (MKK2); Dual specificity mitogen-activated

protein kinase kinase 2

ERK activator kinase 2; MAP kinase kinase 2; MAP2K2; MAPK, ERK kinase 2; Alias:

MAPKK2; MKK2; MP2K2; PRKMK2EC; MEK2; PRKMK2; CCDS12120.1;

ENSG00000126934

UniProt ID: P36507

Sequence Predicted Mass (KDa): 44.424 (400 AA; P36507)

Observed SDS-PAGE Mass (KDa): 43-50

Immunogen

Human MEK2 (MKK2, MAP2K2) sequence peptide Cat. No.: PE-01AVV90 **Antibody Immunogen Source:**

Antibody Immunogen Sequence: PNGVFTPDFQEFVNKC

Location in Target: Corresponds to amino acid residues P334 to C349;

Peptide Type: For pan-specific recognition of target expression levels.

Target Phosphosite: Not phosphorylated

Production

Production Method:

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody la Isotyne Clone Lot:	Immunoglobulin G

immunogiobulin G The immunizing peptide was produced by solid phase synthesis on a multipep

peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The

sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.

Antibody Amount: 25 µg **Antibody Concentration:** 0.75 mg/ml Lot Number: 140724

Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol

For long term storage, keep frozen at -40°C or lower. Stock solution can be kept Storage Conditions and Stability: at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-NK100-5 MEK2-1 Antibody

Antibody Cross Reactivities:



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	1 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity with recombinant human MEK2 on protein dot blots.
Overall Antibody Specificity:	Very high selectivity
Antibody Cross Posstivities:	Weak immunoreactivity on protein dot blots with recombinant human MEK1, and

no immunoreactivity with recombinant human MKK4 and MKK6.

This product is for in vitro research use only and is not intended for use in humans or animals.