AB-NK112

Mos (Mos-1) Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase Mos



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

_		4	_		
	ra	∩t		\sim	nin
Ιa	ΙU	Cι		U	tein

Name Long:	Moloney sarcoma oncogene-encoded protein-serine kinase
Alias:	ADRB2; C-mos; MGC119963; MSV; MGC119962; CCDS6164.1; ENSG00000172680
UniProt ID:	P00540
Sequence Predicted Mass (KDa):	37.820 (346 AA; P00540)
Observed SDS-PAGE Mass (KDa):	40-45

Immunogen

Antibody Immunogen Source:	Human Mos sequence peptide
Antibody Immunogen Sequence:	ASQRSFWAELNIARLRHDNIVRVVAASTRC
Location in Target:	Corresponds to amino acid residues A148 to R177; Kinase Catalytic Subdomain III
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

Production

Antibody Host Species:	Rabbit	
Antibody Type:	Polyclonal	
Antibody Ig Isotype Clone Lot:	Immunoglobulin G	
Production Method:	The immunizing peptide was produced on an A.B.I. automated peptide synthesizer. The peptide was cleaved from the synthesis resin with HF and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by amino acid analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.	
Antibody Amount:	25 μg	
Antibody Concentration:	0.5 mg/ml	
Lot Number:	10320	
Storage Buffer:	100 mM Tris-glycine, pH 7.0	
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months, but either 0.1% sodium azide or 0.05% Thimerasol should be added. Avoid repeated freeze-thaw cycles.	

AB-NK112 Mos (Mos-1) Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity on Western blots with recombinant Xenopus laevis Mos expressed as a glutathione S-transferase fusion protein.
Antibody Cross Reactivities:	Cross-reactivity with an unidentified rat protein of 60 KDa that is found in heart, liver and muscle.

This product is for in vitro research use only and is not intended for use in humans or animals.