# AB-NK130-5 PKB2-PCT (Akt2-4) Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase Akt2 (PKBb)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

	1		1 - ' -
I Or	пот.	urα	TOID
		Pro	
	900		

Name Long:	RAC-beta serine/threonine-protein kinase
Alias:	Akt2; PKB beta; RAC-beta serine,threonine protein kinase; RAC-PK-beta; PKBB; PRKBB; HIHGHH; PKBBETA; RAC-BETA; CCDS12552.1; ENSG00000105221
UniProt ID:	P31751
Sequence Predicted Mass (KDa):	55.769 (481 AA; P31751); 51.083 (438 AA; P31751-2)
Observed SDS-PAGE Mass (KDa):	55-60

### Immunogen

Antibody Immunogen Source:	Human Akt2 (PKBb) sequence peptide
Antibody Immunogen Sequence:	
Location in Target:	Corresponds to amino acid residues to ; Pre-C-terminus
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

### Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced on an A.B.I. automated peptide synthesizer. The peptide was cleaved from the synthesis resin with HF and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by amino acid analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 μg
Antibody Concentration:	0.5 mg/ml
Lot Number:	10320
Storage Buffer:	100 mM Tris-glycine, pH 7.0
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months, but either 0.1% sodium azide or 0.05% Thimerasol should be added. Avoid repeated freeze-thaw cycles.

# AB-NK130-5 PKB2-PCT (Akt2-4) Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

## Applications

Product Use:	Western blotting   Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals

This product is for in vitro research use only and is not intended for use in humans or animals.