AB-NK145-2 Plk1-BKCD Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase Plk1 (PLK)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

lorc	iot I	Jrai	מוחי
Targ		-4 I O I	

Name Long:	Polo-like protein-serine kinase 1
Alias:	ADRB2; Kinase PLK1; PLK; PLK-1; Polo-like kinase 1; Serine- threonine protein kinase 13; STPK13; CCDS10616; ENSG00000166851
UniProt ID:	P53350
Sequence Predicted Mass (KDa):	68.255 (603 AA; P53350)
Observed SDS-PAGE Mass (KDa):	63-68

Immunogen

Antibody Immunogen Source:	Human Plk1 (PLK) sequence peptide Cat. No.: PE-01BEZ85
Antibody Immunogen Sequence:	CAKEIPEVLVDPRSRRRYVR
Location in Target:	Corresponds to amino acid residues A37 to R55; Just before kinase catalytic domain
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

Production

Antibody Host Species:	Rabbit	
Antibody Type:	Polyclonal	
Antibody Ig Isotype Clone Lot:	Immunoglobulin G	
	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously	
Production Method:	injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. It sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column wi 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to 7.0 with saturated Tris.	
Antibody Amount:	25 μg	
Antibody Concentration:	0.5 mg/ml	
Lot Number:	160807	
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol	
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.	

AB-NK145-2 Plk1-BKCD Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals

This product is for in vitro research use only and is not intended for use in humans or animals.