AB-NK155-9 Raf1-CT Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase Raf1 (RafC)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

	Prof	

Name Long:	Raf1 proto-oncogene-encoded protein-serine kinase
Alias:	cRAF; c-RAF; c-Raf; Kinase Raf1; Murine leukemia viral (V-raf-1) oncogene homologue 1; NS5; Protein kinase raf 1; Raf proto-oncogene serine/threonine-protein kinase; RAF1; V-raf-1 murine leukemia viral oncogene 1; CCDS2612.1; ENSG00000132155; B4E1N6; Q59HC8
UniProt ID:	P04049
Sequence Predicted Mass (KDa):	75.395 (668 AA; P04049-2); 73.052 (648 AA; P04049)
Observed SDS-PAGE Mass (KDa):	70-75

Immunogen

Antibody Immunogen Source:	Human Raf1 (RafC) sequence peptide Cat. No.: PE-01BFY90
Antibody Immunogen Sequence:	CPSLHRAAHTEDINAATLTTSPRLPVF
Location in Target:	Corresponds to amino acid residues P623 to F648; C-terminus
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced on an A.B.I. automated peptide synthesizer. The peptide was cleaved from the synthesis resin with HF and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by amino acid analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 µg
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-NK155-9 Raf1-CT Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals

This product is for in vitro research use only and is not intended for use in humans or animals.