AB-NK164-3 RSK1-CT Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase RSK1 (RPS6KA1, p90RSK)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

 аат.		מומי
иег	Prof	
 900		

Name Long:	Ribosomal S6 protein-serine kinase 1; Ribosomal protein S6 kinase alpha 2
Alias:	90 kDa ribosomal protein S6 kinase 1; HU-1; Kinase p90RSK1; KS6A1; KS6AA; MAPKAPK1A; P90RSK1; RPS6KA1; S6K-alpha 1; CCDS284.1; ENSG00000117676
UniProt ID:	Q15418
Sequence Predicted Mass (KDa):	83.932 (744 AA; Q15418-2); 82.723 (735 AA; Q15418); 81.147 (719 AA; Q15418-4); 72.698 (643 AA; Q15418-3)
Observed SDS-PAGE Mass (KDa):	82-92

Immunogen

Antibody Immunogen Source:	Human RSK1 (RPS6KA1, p90RSK) sequence peptide Cat. No.: PE-01AQO95
Antibody Immunogen Sequence:	CSALNSSKPTPQLKPIESSILAQRRVKKLPSTTL
Location in Target:	Corresponds to amino acid residues S703 to L734; C-terminus
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 μg
Antibody Concentration:	0.4 mg/ml
Lot Number:	160520
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-NK164-3 RSK1-CT Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Detection by Immunoblotting in Cell/Tissue Lysates:	Very strong immunoreactivity of a target-sized protein by Western blotting in mouse skeletal muscle, and strong detection in brain, testes and thymus.
Overall Antibody Specificity:	Very high selectivity
Antibody Cross Reactivities:	No significant cross-reactivities in diverse mouse tissues and human cell lines, except weak cross-reactivity with ~50 KDa protein in mouse testes and Jurkat cells.

This product is for in vitro research use only and is not intended for use in humans or animals.