# AB-NK199 KKIALRE-CT (CDK1L-1) Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase CDKL1



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

	$\Delta T$	$\mu \sim 1$	מומ
Targ			
	<b>U</b> .		

Name Long:	Cyclin-dependent kinase-like 1; Serine/threonine protein kinase KKIALRE
Alias:	Cyclin-dependent kinase-like 1
UniProt ID:	Q00532
Sequence Predicted Mass (KDa):	41.671 (357 AA; Q00532); 41.671 (357 AA; Q00532-2)
Observed SDS-PAGE Mass (KDa):	40-44

### Immunogen

Antibody Immunogen Source:	Human CDKL1 sequence peptide
Antibody Immunogen Sequence:	CLDNKKYYSDTKKLNYR
Location in Target:	Corresponds to amino acid residues L338 to R353; C-terminus
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

#### Production

Antibody Host Species:	Rabbit	
Antibody Type:	Polyclonal	
Antibody Ig Isotype Clone Lot:	Immunoglobulin G	
Production Method:	The immunizing peptide was produced on an A.B.I. automated peptide synthesizer. The peptide was cleaved from the synthesis resin with HF and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by amino acid analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.	
Antibody Amount:	25 μg	
Antibody Concentration:	0.5 mg/ml	
Lot Number:	10320	
Storage Buffer:	100 mM Tris-glycine, pH 7.0	
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months, but either 0.1% sodium azide or 0.05% Thimerasol should be added. Avoid repeated freeze-thaw cycles.	

# AB-NK199 KKIALRE-CT (CDK1L-1) Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

### **Applications**

Product Use:	Western blotting   Antibody microarrays
<b>Antibody Dilution Recommended:</b>	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals

This product is for in vitro research use only and is not intended for use in humans or animals.