AB-NK206-2 Erk5-NT (ERK5-4) Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase ERK5 (MAPK7)

KINEXUS

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long: Extracellular regulated protein-serine kinase 5 (Big MAP kinase 1 (BMK1))

Alias: BMK; BMK1; BMK1 kinase; ERK4; ERK-5; Extracellular-signal-regulated kinase

5; Kinase ERK5; MAPK7; PRKM7; ENSG00000166484

UniProt ID: Q13164

Sequence Predicted Mass (KDa): 88.386 (816 AA; Q13164); 73.218 (677 AA; Q13164-2); 59.328 (533 AA;

Q13164-3); 50.152 (451 AA; Q13164-4)

Observed SDS-PAGE Mass (KDa): 88-115

Immunogen

Antibody Immunogen Source: Human ERK5 (MAPK7) sequence peptide

Antibody Immunogen Sequence: MAEPLKEEDGEDGSC

Location in Target: Corresponds to amino acid residues M1 to S14; N-terminus

Peptide Type: For pan-specific recognition of target expression levels.

Target Phosphosite: Not phosphorylated

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
	The immunizing peptide was produced on an A.B.I. automated peptide synthesizer. The peptide was cleaved from the synthesis resin with HF and

purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by amino acid analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution

was neutralized to pH 7.0 with saturated Tris.

Antibody Amount:25 μgAntibody Concentration:mg/ml

Lot Number:

Production Method:

Storage Buffer: 100 mM Tris-glycine, pH 7.0

For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months, but either 0.1% sodium azide or 0.05%

Thimerasol should be added. Avoid repeated freeze-thaw cycles.

AB-NK206-2 Erk5-NT (ERK5-4) Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Cross Reactivities:	Cross-reacts with unidentified 49 and 28 KDa proteins in various rat tissues.

This product is for in vitro research use only and is not intended for use in humans or animals.