AB-NK240-2 Flt3-2 Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-tyrosine kinase Flt3 (STK1)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein	
Name Long:	Fetal liver fms-related tyrosine kinase 3; Receptor-type tyrosine-protein kinase FLT3
Alias:	CD135; Fetal liver kinase 2; FL cytokine receptor; FLK2; FLK-2; FLT-3; Fms- related tyrosine kinase 3; Kinase Flt3; STK-1; RP11-153M24_3; CD135; STK1; FLK2; ENSG00000122025
UniProt ID:	P36888
Sequence Predicted Mass (KDa):	112.903 (993 AA; P36888); 108.378 (952 AA; P36888-2)
Observed SDS-PAGE Mass (KDa):	120-130, 165-175

Immunogen	
Antibody Immunogen Source:	Human Flt3 (STK1) sequence peptide Cat. No.: PE-01AUK85
Antibody Immunogen Sequence:	CKHPSQSALVTIVEKG
Location in Target:	Corresponds to amino acid residues K334 to G348
Peptide Type:	For pan-specific recognition of target expression levels.
Target Phosphosite:	Not phosphorylated

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Antibody Amount:	25 µg
Antibody Concentration:	0.5 mg/ml
Lot Number:	140724
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.





Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	No immunoreactivity on protein dot blots with recombinant human CSF1R and Kit.

This product is for in vitro research use only and is not intended for use in humans or animals.