

# AB-NK245-1 VEGFR2-1 Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-tyrosine kinase VEGFR2 (KDR)



**KINEXUS**

Address: 8755 Ash Street, Suite 1  
Vancouver, British Columbia,  
Canada V6P 6T3

Email: [info@kinexus.ca](mailto:info@kinexus.ca)  
Phone: 604-323-2547

## Target Protein

<b>Name Long:</b>	Vascular endothelial growth factor receptor 2 ; Vascular endothelial growth factor receptor-tyrosine kinase 2 (Flk1)
<b>Alias:</b>	A type III receptor tyrosine kinase; CD309; FLK1; Kinase insert domain receptor; Protein-tyrosine kinase receptor Flk-1; Vascular endothelial growth factor receptor 2; VEGFR; VEGFR2; VGR2; CD309; CCDS3497.1; ENSG00000128052
<b>UniProt ID:</b>	P35968
<b>Sequence Predicted Mass (KDa):</b>	151.527 (1356 AA; P35968); 79.634 (712 AA; P35968-3); 75.896 (678 AA; P35968-2)
<b>Observed SDS-PAGE Mass (KDa):</b>	170-200

## Immunogen

<b>Antibody Immunogen Source:</b>	Human VEGFR2 (KDR) sequence peptide Cat. No.: PE-01AVM95
<b>Antibody Immunogen Sequence:</b>	VVYITENKNKTVVIPC
<b>Location in Target:</b>	Corresponds to amino acid residues V135 to C150; In the extracellular domain of the receptor.
<b>Peptide Type:</b>	For pan-specific recognition of target expression levels.
<b>Target Phosphosite:</b>	Not phosphorylated

## Production

<b>Antibody Host Species:</b>	Rabbit
<b>Antibody Type:</b>	Polyclonal
<b>Antibody Ig Isotype Clone Lot:</b>	Immunoglobulin G
<b>Production Method:</b>	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
<b>Antibody Amount:</b>	25 µg
<b>Antibody Concentration:</b>	0.75 mg/ml
<b>Lot Number:</b>	140724
<b>Storage Buffer:</b>	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol

# AB-NK245-1

## VGFR2-1 Antibody



# KINEXUS

Address: 8755 Ash Street, Suite 1  
Vancouver, British Columbia,  
Canada V6P 6T3

Email: [info@kinexus.ca](mailto:info@kinexus.ca)  
Phone: 604-323-2547

### Applications

<b>Product Use:</b>	Western blotting   Antibody microarrays
<b>Antibody Dilution Recommended:</b>	2 µg/ml for immunoblotting
<b>Antibody Species Reactivity:</b>	Human, mouse, rat and many other mammals
<b>Overall Antibody Specificity:</b>	Medium selectivity
<b>Antibody Cross Reactivities:</b>	Very weak immunoreactivity on protein dot blots with recombinant human VGFR3. No immunoreactivity on protein dot blots with recombinant human VGFR1.

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit [www.kinexusproducts.ca](http://www.kinexusproducts.ca) or contact us at 1-866-KINEXUS(546-3987)