AB-NK261-1 CDKL2-CT Antibody

Pan-specific polyclonal antibody for monitoring the expression of human protein-serine/threonine kinase CDKL2



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long: Cyclin-dependent kinase-like 2; Serine/threonine protein kinase KKIAMRE

Alias: Kinase CdkL2; KKIAMRE; P56; Protein kinase p56 KKIAMRE; Serine/threonine-

protein kinase KKIAMRE

UniProt ID: Q92772

Sequence Predicted Mass (KDa): 56.019 (493 AA; Q92772)

Observed SDS-PAGE Mass (KDa): 52-57

Immunogen

Antibody Immunogen Source: Human CDKL2 sequence peptide Cat. No.: PE-01BCN85

Antibody Immunogen Sequence: CLSDDSGADLPQMEHQH

Location in Target: Corresponds to amino acid residues L478 to H493; C-terminus

Peptide Type: For pan-specific recognition of target expression levels.

Polyclonal

Target Phosphosite: Not phosphorylated

Production

Antibody Type:

Antibody Host Species: Rabbit

Antibody Ig Isotype Clone Lot: Immunoglobulin G

The immunizing peptide was produced by solid phase synthesis on a multipep

peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously.

Production Method: immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The

sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH

7.0 with saturated Tris.

Antibody Amount: 25 µg

Antibody Concentration: 0.5 mg/ml

Lot Number: 160804

Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol

Storage Conditions and Stability: For long term storage, keep frozen at -40°C or lower. Stock solution can be kept

at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-NK261-1 CDKL2-CT Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

| · Pp. | |
|--------------------------------|--|
| Product Use: | Western blotting Antibody microarrays |
| Antibody Dilution Recommended: | 2 μg/ml for immunoblotting |
| Antibody Species Reactivity: | Human, mouse, rat and many other mammals |

This product is for in vitro research use only and is not intended for use in humans or animals.