AB-NP003-2 CDC25C-2 Antibody

Pan-specific polyclonal antibody for monitoring the expression of human CDC25C



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long: Cell division cycle 25C phosphatase

CDC25; CDC25M1; Cell division cycle 25 C; M-phase inducer phosphatase 3; Alias:

MPI1B; MPIP3

UniProt ID: P30307

53.365 (473 AA; P30307-1); 50.122 (443;AA; P30307-2); 48.851 (430 AA; Sequence Predicted Mass (KDa):

P30307-3); 45.608 (400 AA; P30307-4); ?

Observed SDS-PAGE Mass (KDa): 60-65

Immunogen

Antibody Immunogen Source: Human CDC25C sequence peptide Cat. No.: PE-01AZR99

Antibody Immunogen Sequence: EDSNQGHLIGDFSKVC

Corresponds to amino acid residues E275 to C290 **Location in Target:** Peptide Type: For pan-specific recognition of target expression levels.

Target Phosphosite: Not phosphorylated

Production

Production Method:

Antibody Host Species: Rabbit **Antibody Type:** Polyclonal

Antibody Ig Isotype Clone Lot: Immunoglobulin G

> The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by

> mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The

> sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH

7.0 with saturated Tris.

Antibody Amount: 25 µg **Antibody Concentration:** 1 mg/ml

140724 Lot Number:

Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol

For long term storage, keep frozen at -40°C or lower. Stock solution can be kept Storage Conditions and Stability:

at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-NP003-2 CDC25C-2 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	1 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity with recombinant human CDC25C on protein dot blots.
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	Medium immunoreactivity on protein dot blots with recombinant human CDC25A, very weak immunoreactivity with recombinant human CDC25B.

This product is for in vitro research use only and is not intended for use in humans or animals.