AB-PK514

Akt1-pS473+pY474 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase Akt1

(PKBa)

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3



Email: info@kinexus.ca Phone: 604-323-2547

	1	_	
Iaro	Δt	ロロ	taın
Targ			

Name Long:	RAC-alpha serine/threonine-protein kinase
Alias:	AKT; Akt1; AKT1 kinase; C-AKT; Kinase Akt1; PKB; PKB-alpha; PRKBA; V-akt murine thymoma viral oncogene 1; Protein kinase B; RAC; RAC-alpha serine,threonine kinase; RAC-alpha serine/threonine kinase; RAC-PK-alpha; PKBA; hCG_96740; AKT1_NEW; AKT; MGC99656; CCDS9994; B0LPE5; B2RAM5; B3KVH4; B3KXD7; B7Z5R1; Q9BV07; ENSG00000142208
UniProt ID:	P31749
Sequence Predicted Mass (KDa):	55.686 (480 AA; P31749); 48.347 (418 AA; P31749-2)
Observed SDS-PAGE Mass (KDa):	57-62

Immunogen

Antibody Immunogen Source:	Human Akt1 (PKBa) sequence peptide Cat. No.: PE-04ACG75	
Antibody Immunogen Sequence:	QF(pS)(pY)SAS(bA)C (bA) = beta-alanine	
Location in Target:	Corresponds to amino acid residues Q471 to S477; In Pkinase_C domain near C-terminus of the kinase	
Peptide Type:	For phosphosite-specific recognition of target.	
Target Phosphosite:	Ser-473+Tyr-474	

Production

Antibody Host Species:	Rabbit	
Antibody Type:	Polyclonal	
Antibody Ig Isotype Clone Lot:	Immunoglobulin G	
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.This antibody was also subject to negative purification over phosphotyrosine-agarose.	
Antibody Amount:	25 μg	
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol	
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.	

AB-PK514 Akt1-pS473+pY474 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays	
Antibody Dilution Recommended:	2 μg/ml for immunoblotting	
Antibody Species Reactivity:	Human, mouse, rat and many other mammals	
Antibody Positive Controls:	Very strong immunoreactivity with immunogen peptide on dot blots.	

This product is for in vitro research use only and is not intended for use in humans or animals.