

AB-PK642

Frk-pY497 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-tyrosine kinase Frk



KINEXUS

Address: 8755 Ash Street, Suite 1
Vancouver, British Columbia,
Canada V6P 6T3

Email: info@kinexus.ca
Phone: 604-323-2547

Target Protein

Name Long:	Fyn-related kinase; Tyrosine-protein kinase FRK
Alias:	Nuclear tyrosine protein kinase RAK; PTK5; RAK; GTK; CCDS5103.1; ENSG00000111816
UniProt ID:	P42685
Sequence Predicted Mass (kDa):	58.254 (505 AA; P42685); 41.980 (363 AA; P42685-2)
Observed SDS-PAGE Mass (kDa):	50-58

Immunogen

Antibody Immunogen Source:	Human Frk sequence peptide Cat. No.: PE-04AMN95
Antibody Immunogen Sequence:	DSS(pY)SDA(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues D494 to A500; In the C-terminus of the kinase. One of the two major in vivo phosphorylation sites in Frk.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-497

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipеп peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 µg
Antibody Concentration:	0.5 mg/ml
Lot Number:	150305
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerazol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PK642

Frk-pY497 Antibody



KINEXUS

Address: 8755 Ash Street, Suite 1
Vancouver, British Columbia,
Canada V6P 6T3

Email: info@kinexus.ca
Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	No significant cross-reactive proteins detected in Jurkat and T98G cells, except phenylarsine oxide (PAO) treatment increases immunoreactivity of 15 KDa protein in Jurkat cells.

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit www.kinexusproducts.ca or contact us at 1-866-KINEXUS(546-3987)