AB-PK657 IGF1R-pY1161+pT1163 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-tyrosine kinase IGF1R



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long:	Insulin-like growth factor 1 receptor protein-tyrosine kinase
Alias:	CD221; IGFIR; Insulin-like growth factor I receptor; JTK13; MGC142170; MGC142172
UniProt ID:	P08069
Sequence Predicted Mass (KDa):	154.793 (1367 AA; P08069)
Observed SDS-PAGE Mass (KDa):	90-100, 130

Immunogen

Antibody Immunogen Source:	Human IGF1R sequence peptide Cat. No.: PE-04AMX99
Antibody Immunogen Sequence:	RDI(pY)E(pT)DY(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues R1158 to Y1165; In the protein kinase catalytic domain activation T loop region between subdomains VII and VIII.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-1161+Thr-1163

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	0.5 mg/ml
Lot Number:	141202
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PK657 IGF1R-pY1161+pT1163 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other vertebrates; Phosphosite is highly conserved in diverse species
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.
Detection by Immunoblotting in Cell/Tissue Lysates:	Strong immunoreactivity of a target-sized protein by Western blotting in insulin- stimulated MCF7 cells and in Jurkat cells.
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	No significant cross-reactive proteins detected in MCF7 and Jurkat cells, but multiple 70-160 KDa proteins were detected in A431 cells. This antibody may cross-react with phosphorylated EGF receptor.

This product is for in vitro research use only and is not intended for use in humans or animals.