AB-PK702 MERTK-pY749 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-tyrosine kinase MERTK (MER)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long:	Tyrosine-protein kinase Mer; Proto-oncogene tyrosine-protein kinase MER
Alias:	C-mer; C-mer proto-oncogene tyrosine kinase; Kinase Mer; MERK; MERTK; MGC133349Proto-oncogene tyrosine-protein kinase MER precursor; Receptor tyrosine kinase MerTK; RP38; MGC133349; CCDS2094.1; ENSG00000153208
UniProt ID:	Q12866
Sequence Predicted Mass (KDa):	110.249 (999 AA; Q12866)
Observed SDS-PAGE Mass (KDa):	105-115

Immunogen

Antibody Immunogen Source:	Human MERTK (MER) sequence peptide Cat. No.: PE-04ANY99
Antibody Immunogen Sequence:	KKI(pY)SGD(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues K746 to D752; In protein kinase catalytic domain activation T-loop between subdomains VII and VIII.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-749

Production

Antibody Type: Polyclonal Antibody Ig Isotype Clone Lot: Immunoglobulin G The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose. Antibody Amount: 25 μg Antibody Concentration: 1 mg/ml Lot Number: 150305 Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol Storage Conditions and Stability: For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.	Antibody Host Species:	Rabbit
The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose. Antibody Amount: 25 µg Antibody Concentration: 1 mg/ml Lot Number: 150305 Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol For long term storage, keep frozen at -40°C or lower. Stock solution can be kept	Antibody Type:	Polyclonal
peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose. Antibody Amount: 25 μg Antibody Concentration: 1 mg/ml Lot Number: 150305 Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol For long term storage, keep frozen at -40°C or lower. Stock solution can be kept	Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Antibody Amount: 25 µg Antibody Concentration: 1 mg/ml Lot Number: 150305 Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol For long term storage, keep frozen at -40°C or lower. Stock solution can be kept	Production Method:	peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.This antibody was also subject to negative purification
Antibody Concentration: 1 mg/ml Lot Number: 150305 Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol Storage Conditions and Stability: For long term storage, keep frozen at -40°C or lower. Stock solution can be kept	Antibody Amount:	
Lot Number: 150305 Storage Buffer: Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol Storage Conditions and Stability: For long term storage, keep frozen at -40°C or lower. Stock solution can be kept		
Storage Conditions and Stability: For long term storage, keep frozen at -40°C or lower. Stock solution can be kept		150305
Storage Conditions and Stanility.	Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
	Storage Conditions and Stability:	

AB-PK702 MERTK-pY749 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Very strong immunoreactivity with immunogen peptide on dot blots.

This product is for in vitro research use only and is not intended for use in humans or animals.