AB-PK719 MLTK-pT161+pT162 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase MLTK (ZAK)



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein	
Name Long:	Mitogen-activated protein kinase kinase kinase MLT
Alias:	AZK; HCCS-4; Mixed lineage kinase-related kinase; MLK7; mlklak; MLK-like mitogen-activated protein triple kinase; MLT; MLTK; MRK; MRK-beta; Sterile alpha motif and leucine zipper containing kinase AZK; MLK7; mlklak; ENSG00000091436
UniProt ID:	Q9NYL2
Sequence Predicted Mass (KDa):	91.155 (800 AA; Q9NYL2); 51.582 (455 AA; Q9NYL2-2); 35.468 (312 AA; Q9NYL2-3)
Observed SDS-PAGE Mass (KDa):	90-94
Immunogen	
Antibody Immunogen Source:	Human MLTK (ZAK) sequence peptide Cat. No.: PE-04AQP95
Antibody Immunogen Sequence:	HNH(pT)(pT)HMS(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues H158 to S165; In protein kinase catalytic domain activation T-loop between subdomains VII and VIII.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Thr-161+Thr-162
Production Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	1 mg/ml
Lot Number:	150305
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PK719 MLTK-pT161+pT162 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Very strong immunoreactivity with immunogen peptide on dot blots.

This product is for in vitro research use only and is not intended for use in humans or animals.