AB-PK785 PRKX-p T201+pT203 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase PRKX



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long:

Serine/threonine-protein kinase PRKX

Alias:
PKX1

UniProt ID:
P51817

Sequence Predicted Mass (KDa):
40.896 (358 AA; P51817)

Observed SDS-PAGE Mass (KDa):
38-44

Immunogen

Antibody Immunogen Source:	Human PRKX sequence peptide Cat. No.: PE-04APD99				
Antibody Immunogen Sequence:	VDR(pT)W(pT)LCG(bA)C (bA) = beta-alanine				
Location in Target:	Corresponds to amino acid residues V198 to G206; In protein kinase catalytic domain activation T-loop between subdomains VII and VIII.				
Peptide Type:	For phosphosite-specific recognition of target.				
Target Phosphosite:	Thr-201+Thr-203				

Production

Antibody Host Species:	Rabbit		
Antibody Type:	Polyclonal		
Antibody Ig Isotype Clone Lot:	Immunoglobulin G		
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.		
Antibody Amount:	25 μg		
Antibody Concentration:	1 mg/ml		
Lot Number:	150305		
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol		
Storage Conditions and Stability:	bility: For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.		

AB-PK785 PRKX-p T201+pT203 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays			
Antibody Dilution Recommended:	2 μg/ml for immunoblotting			
Antibody Species Reactivity:	Human, mouse, rat and many other mammals			
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.			

This product is for in vitro research use only and is not intended for use in humans or animals.