AB-PK810 Sgk223-pY413 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase Sgk223



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

		tein

Name Long:	Tyrosine-protein kinase SgK223; Homologue of rat pragma of Rnd2
Alias:	FLJ00269; SG223; Sugen kinase 223
UniProt ID:	Q86YV5
Sequence Predicted Mass (KDa):	149.624 (1406 AA; Q86YV5)
Observed SDS-PAGE Mass (KDa):	150-170

Immunogen

Antibody Immunogen Source:	Human Sgk223 sequence peptide Cat. No.: PE-04APO99
Antibody Immunogen Sequence:	EPI(pY)AES(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues E410 to S416; In the first third of the protein. This is the major in vivo site for phosphorylation of Sgk223.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-413

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	1 mg/ml
Lot Number:	150305
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PK810 Sgk223-pY413 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammalian species
Antibody Positive Controls:	Very strong immunoreactivity with immunogen peptide on dot blots.

This product is for in vitro research use only and is not intended for use in humans or animals.