## **AB-PK815** SIK3-pT411 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-serine/threonine kinase SIK3

(QSK)

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3



Email: info@kinexus.ca Phone: 604-323-2547

Targe	

Name Long: Salt-inducible serine/threonine-protein kinase SIK3 FLJ12240; KIAA0999; L19; Salt-inducible kinase 3; Serine/threonine-protein Alias: kinase QSK; SIK family kinase 3; SIK3; SIK-3; L19; KIAA0999; ENSG00000160584 **UniProt ID:** Q9Y2K2 139.980 (1263 AA; Q9Y2K2); 133.715 (1203 AA; Q9Y2K2-4); 125.475 (1129 AA; Sequence Predicted Mass (KDa): Q9Y2K2-3); 65.097 (598 AA; Q9Y2K2-2) Observed SDS-PAGE Mass (KDa): 110-115

#### Immunogen

Antibody Immunogen Source:	Human SIK3 (QSK) sequence peptide Cat. No.: PE-04APG99
Antibody Immunogen Sequence:	RRH(pT)VGV(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues R408 to V414; In the first third of the protein. This is one of the two major in vivo sites for phosphorylation of SIK3.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Thr-411

#### Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	1 mg/ml
Lot Number:	150305
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

# AB-PK815 SIK3-pT411 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

### Applications

Product Use:	Western blotting   Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.
Overall Antibody Specificity:	Very high selectivity
Antibody Cross Reactivities:	No significant cross-reactive proteins detected in T98G cells.

This product is for in vitro research use only and is not intended for use in humans or animals.