AB-PK844 TXK-pY420 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human protein-tyrosine kinase TXK



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long:	Tyrosine-protein kinase TXK
Alias:	BTKL; MGC22473; PSCTK5; PTK4; RLK; TKL; ENSG00000074966
UniProt ID:	P42681
Sequence Predicted Mass (KDa):	61.258 (527 AA; P42681)
Observed SDS-PAGE Mass (KDa):	60-65

Immunogen

Antibody Immunogen Source:	Human TXK sequence peptide Cat. No.: PE-04AQI99
Antibody Immunogen Sequence:	DDE(pY)VSS(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues D417 to S423;
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-420

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipe peptide synthesizer and purified by reverse-phase hplc chromatography. Pur was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. T sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column wit 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to
	7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	0.25 / 0.5 mg/ml
Lot Number:	150305 / 160121
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PK844 TXK-pY420 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	Almost no significant cross-reactivities detected in MCF7 cells, except insulin increases a strong 75 KDa protein signal. Only very low cross-reactivity was observed in A431,T98G and T98G cells.

This product is for in vitro research use only and is not intended for use in humans or animals.