AB-PK854

Wee1-pS642 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human dual specificity protein kinase Wee1



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

loro	Ot L	Jrai	nın
Targ			
	•		

Name Long:	Wee1 protein-tyrosine kinase	
Alias:	Kinase WEE1; WEE1A; WEE1hu	
UniProt ID:	P30291	
Sequence Predicted Mass (KDa):	71.597 (646 AA; P30291);49.072 (432 AA; P30291-2)	
Observed SDS-PAGE Mass (KDa):	70-74	

Immunogen

Antibody Immunogen Source:	Human Wee1 sequence peptide Cat. No.: PE-04AQN99	
Antibody Immunogen Sequence:	RSV(pS)LTI(bA)C (bA) = beta-alanine	
Location in Target:	Corresponds to amino acid residues R639 to I645; In the C-terminus of the kinase	
Peptide Type:	For phosphosite-specific recognition of target.	
Target Phosphosite:	Ser-642	

Production

Antibody Host Species:	Rabbit	
Antibody Type:	Polyclonal	
Antibody Ig Isotype Clone Lot:	Immunoglobulin G	
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.	
Antibody Amount:	25 µg	
Antibody Concentration:	1 mg/ml	
Lot Number:	150305	
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.	
Storage Conditions and Stability:		

AB-PK854 Wee1-pS642 Antibody

Annlications

Overall Antibody Specificity:

Antibody Cross Reactivities:



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

7 (ppiloations	phications		
Product Use:	Western blotting Antibody microarrays		
Antibody Dilution Recommended:	2 μg/ml for immunoblotting		
Antibody Species Reactivity:	Human, mouse, rat and many other mammals		
Antibody Positive Controls:	Strong immunoreactivity with immunogen peptide on dot blots.		
Detection by Immunoblotting in Cell/Tissue Lysates:	Strong immunoreactivity of a target-sized protein by Western blotting in sea star oocytes. Very weak detection of target in MCF7 and T98G cells.		

High selectivity

KDa protein; phenylarsine oxide (PAO) increases strong 50 KDa cross-reactive protein in HeLa cells. The 25 KDa cross-reactive protein was also detected in

Almost no significant cross-reactivities detected in HeLa cells, except for a 25

sea star oocytes and MCF7 and T98G cells.

This product is for in vitro research use only and is not intended for use in humans or animals.