## AB-PN511 ENO1-pY44 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human ENO1



Email: info@kinexus.ca Phone: 604-323-2547

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Target Protein	
Name Long:	Alpha-enolase
Alias:	2-phospho-D-glycerate hydro-lyase; alpha enolase like 1; Alpha-enolase; C-myc promoter-binding protein; ENO1; ENO1L1; ENOA; Enolase 1; enolase 1, (alpha); MBP-1; MBPB1; MPB-1; MPB1; MYC promoter-binding protein 1; NNE; Non-neural enolase; Phosphopyruvate hydratase; Plasminogen-binding protein; PPH; tau-crystallin
UniProt ID:	P06733
Sequence Predicted Mass (KDa):	47.169 (434 AA; P06733-1); 36.928 (341 AA; P06733-2)
Observed SDS-PAGE Mass (KDa):	45-55
Immunogen	
Antibody Immunogen Source:	Human ENO1 sequence peptide Cat. No.: PE-04ACS99
Antibody Immunogen Sequence:	TGI(pY)EAL(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues T41 to L47; In the Enolase_N domain. This is the major in vivo phosphorylation site in ENO1.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-44
Production	
Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	1 mg/ml
Lot Number:	150106
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept

## AB-PN511 ENO1-pY44 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications	
Product Use:	Western blotting   Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other vertebrates; Phosphosite is highly conserved in diverse species
Antibody Positive Controls:	Very strong immunoreactivity with immunogen peptide on dot blots.

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit <u>www.kinexusproducts.ca</u> or contact us at 1-866-KINEXUS(546-3987)