AB-PN539 STAT3-pY705+pT708 Antibody

Phosphosite-specific polyclonal antibody for monitoring the phosphorylation of human STAT3

Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3



Email: info@kinexus.ca Phone: 604-323-2547

Target Protein

Name Long:	Signal transducer and activator of transcription 3
Alias:	Acute-phase response factor; APRF
UniProt ID:	P40763
Sequence Predicted Mass (KDa):	88.068 (770 AA; P40763-1); 87.981 (769 AA; P40763-2); 83.126 (722 AA; P40763-3)
Observed SDS-PAGE Mass (KDa):	80-88

Immunogen

Antibody Immunogen Source:	Human STAT3 sequence peptide Cat. No.: PE-04ADO95
Antibody Immunogen Sequence:	AAP(pY)LK(pT)(bA)C (bA) = beta-alanine
Location in Target:	Corresponds to amino acid residues A702 to T708; In the C-terminus of the transcription factor. Y705 is the major in vivo phosphorylation site in STAT3.
Peptide Type:	For phosphosite-specific recognition of target.
Target Phosphosite:	Tyr-705+Thr-708

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Ig Isotype Clone Lot:	Immunoglobulin G
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from each animal was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris. This antibody was also subject to negative purification
Austile and Austronation	over phosphotyrosine-agarose.
Antibody Amount:	25 μg
Antibody Concentration:	0.75 mg/ml
Lot Number:	141017
Storage Buffer:	Phosphate buffered saline (PBS) pH7.4, 0.05% Thimerasol
Storage Conditions and Stability:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.

AB-PN539 STAT3-pY705+pT708 Antibody



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia,

Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

Applications

Product Use:	Western blotting Antibody microarrays
Antibody Dilution Recommended:	2 μg/ml for immunoblotting
Antibody Species Reactivity:	Human, mouse, rat and many other mammals
Overall Antibody Specificity:	High selectivity
Antibody Cross Reactivities:	Almost no significant cross-reactivities detected in HepG2 and T98G cells.

This product is for in vitro research use only and is not intended for use in humans or animals.