

AB-PN646

PTRF-pY308 Antibody

Phosphosite-specific rabbit polyclonal antibody for PTRF. This phosphotyrosine-site antibody also weakly cross-reacts with a phosphothreonine substitution of the phosphosite.

Website: www.kinexus.ca
Email: info@kinexus.ca
Phone: 604-323-2547



Address: 8755 Ash Street, Suite 1
Vancouver, British Columbia,
Canada V6P 6T3

Target Protein

Protein Name Long:	Polymerase I and transcript release factor
Protein Alias:	Cavin-1; Leucine-zipper protein FKSG13
UniProt ID:	Q6NZI2
Protein Molecular Mass:	43,476 Da (390 AA; Q6NZI2-1); 33,362 Da (300 AA; Q6NZI2-2); 22,597 Da (198 AA; Q6NZI2-3)

Immunogen

Antibody Immunogen Source:	Synthetic phosphopeptide patterned after human PTRF
Antibody Immunogen Sequence:	DHVV(pY)ARSK(β A)C
Antibody Immunogen Description:	Corresponds to amino acid residues D304 to K312. The effect of Y308 phosphorylation is unclear. This is one of the major sites of <i>in vivo</i> phosphorylation of PTRF based on ≥ 1328 mass spectrometry reports recorded in PhosphoSitePlus.
Antibody Target Type:	Phosphosite-specific

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Isotype:	IgG
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipепptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from these animals was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Amount:	25 μ g
Antibody Concentration:	0.6 mg/ml
Storage Buffer:	Phosphate buffered saline pH 7.4, 0.05% Thimerasol
Storage Conditions:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at $+4^{\circ}\text{C}$ for more than 3 months. Avoid repeated freeze-thaw cycles.
Storage Stability:	>2 years

Applications

Product Use:	Western blotting Antibody microarray
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human Chimpanzee Rhesus macaque Dog Rat Mouse Chicken

This product is for *in vitro* research use only and is not intended for use in humans or animals.

For more information on our products please visit <https://kinexus-ca.myshopify.com/> or contact us at 1-866-546-3987