

AB-PN969

NCAM1-pS784 Antibody

Phosphosite-specific rabbit polyclonal antibody for NCAM1 (CD56)



KINEXUS

Website: www.kinexus.ca
Email: info@kinexus.ca
Phone: 604-323-2547

Address: 8755 Ash Street, Suite 1
Vancouver, British Columbia,
Canada V6P 6T3

Target Protein

Protein Name Long:	Neural cell adhesion molecule 1
Protein Alias:	CD56; NCA11; NCAM; N-CAM 140; NCAM 180; NCAM-140; Neural cell adhesion molecule 1; Neural cell adhesion molecule 1 140 kDa isoform
UniProt ID:	P13591
Protein Molecular Mass:	94,574 Da (858 AA)

Immunogen

Antibody Immunogen Source:	Synthetic phosphopeptide patterned after human NCAM1
Antibody Immunogen Sequence:	CSKDE(pS)KEP
Antibody Immunogen Description:	Corresponds to amino acid residues S780 to P787. The effect of S784 phosphorylation is unknown. This is the major <i>in vivo</i> phosphosite in NCAM1 by mass spectrometry (34 reports recorded in PhosphoSitePlus).
Antibody Target Type:	Phosphosite-specific

Production

Antibody Host Species:	Rabbit
Antibody Type:	Polyclonal
Antibody Isotype:	IgG
Production Method:	The immunizing peptide was produced by solid phase synthesis on a multipep peptide synthesizer and purified by reverse-phase hplc chromatography. Purity was assessed by analytical hplc and the amino acid sequence confirmed by mass spectrometry analysis. This peptide was coupled to KLH prior to immunization into rabbits. New Zealand White rabbits were subcutaneously injected with KLH-coupled immunizing peptide every 4 weeks for 4 months. The sera from these animals was applied onto an agarose column to which the immunogen peptide was thio-linked. Antibody was eluted from the column with 0.1 M glycine, pH 2.5. Subsequently, the antibody solution was neutralized to pH 7.0 with saturated Tris.
Amount:	25 µg
Antibody Concentration:	0.5 mg/ml
Storage Buffer:	Phosphate buffered saline pH 7.4, 0.05% Thimerasol
Storage Conditions:	For long term storage, keep frozen at -40°C or lower. Stock solution can be kept at +4°C for more than 3 months. Avoid repeated freeze-thaw cycles.
Storage Stability:	>2 years

Applications

Product Use:	Western blotting Antibody microarray
Antibody Dilution Recommended:	2 µg/ml for immunoblotting
Antibody Species Reactivity:	Human Chimpanzee Rhesus macaque Dog Rat Mouse Chicken Frog Zebra fish

This product is for *in vitro* research use only and is not intended for use in humans or animals.

For more information on our products please visit <https://kinexus-ca.myshopify.com/> or contact us at 1-866-546-3987