## PE-01BJE70-P Rock2Subtide Peptide Powder

13-mer kinase substrate peptide for assaying ROCK2 (ROKa)



| Address: 8755 Ash Street, Suite 1 |
|-----------------------------------|
| Vancouver, British Columbia,      |
| Canada V6P 6T3                    |

Email: info@kinexus.ca Phone: 604-323-2547

| The Design   |   |
|--|---|
| Target Protein   |   |
| Name Long:   | Rho-associated protein kinase 2   |
| Name Alias:  | KIAA0619; Kinase ROCK2; P164 ROCK-2; RhoA-binding serine/threonine<br>kinase alpha; Rho-associated protein kinase 2; Rho-associated, coiled-coil<br>containing protein kinase 2; ROCK-II; ROK-alpha   |
| UniProt ID:  | O75116  |
|  |   |
| Peptide Structure  |   |
| Peptide Name:  | Rock2Subtide  |
| Peptide Origin:  | Developed by Kinexus based on alignment of known substrates and Kinexus Kinase Substrate Predictor v2.0 algorithm.  |
| Peptide Sequence Location:   | Not applicable  |
| Peptide Sequence:  | RRFRRKTQRVVAC   |
| Peptide N-Terminus:  | Free amino  |
|  |   |
| Peptide C-Terminus:  | Amide   |
| •  |   |
| Peptide C-Terminus:<br>Peptide Modifications Other:  | Amide   |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production  | Amide<br>None   |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:  | Amide<br>None<br>Solid-phase peptide synthesis  |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:  | Amide<br>None<br>Solid-phase peptide synthesis<br>1746.1  |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:  | Amide<br>None<br>Solid-phase peptide synthesis<br>1746.1<br>1745.8  |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:<br>% Peptide Purity:   | Amide<br>None<br>Solid-phase peptide synthesis<br>1746.1<br>1745.8<br>71.9  |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:<br>% Peptide Purity:<br>Peptide Appearance:  | Amide<br>None<br>Solid-phase peptide synthesis<br>1746.1<br>1745.8  |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:<br>% Peptide Purity:   | Amide<br>None<br>Solid-phase peptide synthesis<br>1746.1<br>1745.8<br>71.9<br>White powder  |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:<br>% Peptide Purity:<br>Peptide Appearance:<br>Peptide Form:                                       | <ul> <li>Amide</li> <li>None</li> <li>Solid-phase peptide synthesis</li> <li>1746.1</li> <li>1745.8</li> <li>71.9</li> <li>White powder</li> <li>Solid</li> <li>Dissolve in 50 µl DMSO and dilute to desired concentration with water or</li> </ul>                                     |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:<br>% Peptide Purity:<br>Peptide Appearance:<br>Peptide Form:<br>Peptide Solubility:                | <ul> <li>Amide</li> <li>None</li> <li>Solid-phase peptide synthesis</li> <li>1746.1</li> <li>1745.8</li> <li>71.9</li> <li>White powder</li> <li>Solid</li> <li>Dissolve in 50 µl DMSO and dilute to desired concentration with water or aqueous buffer</li> </ul>                      |
| Peptide C-Terminus:<br>Peptide Modifications Other:<br>Production<br>Peptide Production Method:<br>Calculated Peptide Mass:<br>Observed Peptide Mass:<br>% Peptide Purity:<br>Peptide Appearance:<br>Peptide Form:<br>Peptide Solubility:<br>Lot Number: | <ul> <li>Amide</li> <li>None</li> <li>Solid-phase peptide synthesis</li> <li>1746.1</li> <li>1745.8</li> <li>71.9</li> <li>White powder</li> <li>Solid</li> <li>Dissolve in 50 µl DMSO and dilute to desired concentration with water or aqueous buffer</li> <li>KMP01CAS-25</li> </ul> |

| Applications |  |
|--------------|--|
| Product Use: | For assaying the phosphotransferase activity of Rho-associated protein kinase 2 (UniProt ID 075116). |

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit <u>www.kinexusproducts.ca</u> or contact us at 1-866-KINASES (546-2737)