PE-04APV90-P TAK1 (436-442) pS439 Peptide Powder

9-mer immunogen and phosphatase substrate phosphopeptide based on TAK1



Address: 8755 Ash Street, Suite 1 Vancouver, British Columbia, Canada V6P 6T3

Email: info@kinexus.ca Phone: 604-323-2547

rarget Protein	
Name Long:	TGF-beta-activated protein-serine kinase 1; Mitogen-activated protein kinase kinase 7
Name Alias:	M3K7; MAP3K7; MEKK7; TGF1a; TGF-beta-activated kinase 1; TGF1a; ENSG00000135341
Species Origin:	Human
UniProt ID:	O43318

Peptide Structure	
Peptide Name:	TAK1 (436-442) pS439
Peptide Origin:	In the C-terminal half of the protein. This is the major in vivo phosphorylation site in TAK1.
Peptide Sequence Location:	R436-D442
Peptide Sequence:	RRR(pS)IQD(bA)C
Peptide N-Terminus:	Free amino
Peptide C-Terminus:	Amide
Peptide Modifications Other:	Phosphorylated; Includes beta-alanine-cysteine at C-terminus for coupling to KLH or thio-agarose

Production	
Peptide Production Method:	Solid-phase peptide synthesis
Calculated Peptide Mass:	1183.2
Observed Peptide Mass:	1183.3
% Peptide Purity:	91.5
Peptide Appearance:	White powder
Peptide Form:	Solid
Peptide Solubility:	Dissolve in 50 µl DMSO and dilute to desired concentration with water or aqueous buffer
Lot Number:	KMP04CAX-111
Amount:	1 mg
Storage Conditions:	Frozen at -20°C
Storage Stability:	Over 1 year at -20°C

Applications

Target Dretain

Product Use:Services as a blocking peptide for use with the TAK1-pS439 rabbit polyclonal
antibody (Cat. No.: PK824) that is also available from Kinexus. This
phosphopeptide may also be useful as a substrate for screening the
phosphatase activity of protein phosphatases.

This product is for in vitro research use only and is not intended for use in humans or animals.

For more information on our products please visit www.kinexusproducts.ca or contact us at 1-866-KINASES (546-2737)